

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
<b>1</b>	<b>2963</b>	<b>((input\$3 or enter\$3) with (password or code) with printer</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/27 17:17</b>
<b>2</b>	<b>28</b>	<b>((input\$3 or enter\$3) with (password or code) with printer) and ((string or code) near8 manipul\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/27 15:57</b>
<b>3</b>	<b>2</b>	<b>((input\$3 or enter\$3) with (password or code) with printer) and (mathematic\$4 near8 manipul\$3)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/27 15:57</b>
<b>4</b>	<b>3885</b>	<b>((input\$3 or enter\$3) with (password or code) and 358/\$.cccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/27 17:16</b>
<b>5</b>	<b>171343</b>	<b>((input\$3 or enter\$3) with (password or code)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/27 17:17</b>
<b>6</b>	<b>7295</b>	<b>((input\$3 or enter\$3) with (password or code)) and ((authenticat\$3 or activat\$3 or authoriz\$5 or releas\$3 or download\$3) with (feature or option))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/27 17:18</b>
<b>7</b>	<b>115</b>	<b>((input\$3 or enter\$3) with (password or code)) and ((authenticat\$3 or activat\$3 or authoriz\$5 or releas\$3 or download\$3) with (feature or option))) and 358/\$.cccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/27 17:18</b>
<b>-</b>	<b>14</b>	<b>((mathematic\$4 near10 (manipulat\$3 or chang\$3 or manuver\$3)) same (character near5 (string or code)))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/18 16:40</b>
<b>-</b>	<b>71</b>	<b>((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) same (character near5 (string or code))) same (pass near4 code)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/18 16:43</b>
<b>-</b>	<b>7</b>	<b>((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) same (character near5 (string or code))) and ((activat\$3 or releas\$3) same (printer near10 (feature or option)))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/06/18 16:45</b>

-	286	(activat\$3 or releas\$3) same (printer near10 (feature or option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 16:55
-	314	(activat\$3 or releas\$3 or authenticat\$3) same (printer near10 (feature or option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:32
-	235	((manipulat\$3 or chang\$3 or maneuver\$3 or convert\$3 or convers\$3) same (character near5 (string or code))) and (printer near10 (feature or option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:05
-	198	((manipulat\$3 or chang\$3 or maneuver\$3 or convert\$3 or convers\$3) same (character near5 (string or code))) and (printer near6 (feature or option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:06
-	5	((manipulat\$3 or chang\$3 or maneuver\$3 or convert\$3 or convers\$3) with (character near5 (string or code))) and ((activat\$3 or releas\$3 or authenticat\$3) same (printer near10 (feature or option)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/18 17:28
-	107	(activat\$3 or releas\$3 or authenticat\$3) with (printer near10 (feature or option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:36
-	176	(activat\$3 or releas\$3 or authenticat\$3 or download\$3) with (printer near10 (feature or option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:28
-	15	((activat\$3 or releas\$3 or authenticat\$3 or download\$3) with (printer near10 (feature or option))) and ((pass near4 code) or (character near3 string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:26
-	3	(activat\$3 or releas\$3 or authenticat\$3 or download\$3) with ((printer near6 (feature or option)) near8 (special or advance\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:29
-	14292	(manipulat\$3 or chang\$3 or maneuver\$3 or convert\$3 or convers\$3) with (character near5 (string or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:31

-	323	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code))) and (print\$3 near8 (feature or option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:58
-	208	(activat\$3 or releas\$3 or authenticat\$3 or updat\$3 or download\$3) with (printer near10 (feature or option))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 11:37
-	504	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code))) and (print\$3 near8 (feature or option or software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 12:15
-	28	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code))) and (print\$3 near8 (feature or option or software))) and (pass near6 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 12:00
-	56	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code))) and (print\$3 near8 (feature or option or software))) and (mathematic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 12:15
-	793	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code))) and (print\$3 near8 (feature or option or software or application))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 12:15
-	84	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code))) and (print\$3 near8 (feature or option or software or application))) and (mathematic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/19 12:15
-	20737	(manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) same (character near5 (string or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:02
-	924	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) same (character near5 (string or code))) and mathematic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:26
-	398	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) same (character near5 (string or code))) and mathematic\$4 and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:29

-	2319	(add\$3 or chang\$3) with ((feature or option or software) near9 (print\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:41
-	95	((add\$3 or chang\$3) with ((feature or option or software) near9 (print\$3))) and ((manipulat\$3 or chang\$3 or maneuver\$3 or convert\$3 or convers\$3) same (character near5 (string or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:30
-	1142	(add\$3) with ((feature or option or software) near9 (print\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:41
-	2667	(add\$3 or enabl\$3) with ((feature or option or software) near9 (print\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:42
-	33	(mathematic\$4 near10 (manipulat\$3 or chang\$3 or maneuver\$3 or convert\$3 or convers\$3)) same (character near5 (string or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:41
-	1	((add\$3 or enabl\$3) with ((feature or option or software) near9 (print\$3))) and ((mathematic\$4 near10 (manipulat\$3 or chang\$3 or maneuver\$3 or convert\$3 or convers\$3)) same (character near5 (string or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:42
-	3190	(add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:25
-	2091370	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3))) and pass code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 16:42
-	20	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3))) and (pass adj3 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:37
-	15	("4741575"   "4795892"   "4926325"   "4947028"   "5023782"   "5146067"   "5185857"   "5241464"   "5341290"   "5465291"   "5510992"   "5563999"   "5619024"   "5637845"   "5684965").PN.	USPAT	2004/06/21 16:46
-	2	6076076.URPN.	USPAT	2004/06/21 16:49

-	14295	(manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:15
-	48	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3))) and ((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:16
-	160426	(manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (string or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:16
-	14295	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (string or code)) and ((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:17
-	3001	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (string or code)) and ((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code)))) and printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:16
-	302	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) near10 mathematic\$4) with (string or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:31
-	35	((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) near10 mathematic\$4) with (string or code)) and ((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:17
-	1	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3))) and ((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) near10 mathematic\$4) with (string or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:25
-	4135	(add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near20 (print\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:37

-	1	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near20 (print\$3))) and (((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) near10 mathematic\$4) with (string or code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:26
-	66	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near20 (print\$3))) and ((manipulat\$3 or chang\$3 or manuever\$3 or convert\$3 or convers\$3) with (character near5 (string or code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:26
-	5	("4661988"   "5822083"   "6574729"   "6577746"   "6578056").PN.	USPAT	2004/06/21 17:28
-	15	(mathematic\$4 near20 (string near8 manipulat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:32
-	15	(mathematic\$4 with (string near8 manipulat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:32
-	22	(mathematic\$4 same (string near8 manipulat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:33
-	213	((string near8 manipulat\$3) near20 character)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:35
-	3	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near20 (print\$3))) and (((string near8 manipulat\$3) near20 character))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:35
-	2661	(string near8 manipulat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:35
-	7	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near20 (print\$3))) and ((string near8 manipulat\$3) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:35

-	55	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near20 (print\$3))) and (pass near4 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:38
-	99	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near20 (print\$3))) and ((ID or identifier or identification) near20 (string))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 17:39
-	3201	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:40
-	557	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3))) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:39
-	249	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3))) and 358/1.15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:39
-	2797	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) near9 ((feature or option or software) near9 (print\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:41
-	231	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) near9 ((feature or option or software) near9 (print\$3))) and 358/1.15.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:40
-	3092	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:41
-	140	((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3))) and (character near4 string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:49
-	2301	"140" and (pass near4 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:42

-	3	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3)))) and (character near4 string)) and (pass near4 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:42
-	682	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3)))) and ((pass near4 code) or validat\$3 or authenticat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:19
-	4	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3)))) and ((pass near4 code) or validat\$3 or authenticat\$3) and (mathematic\$4 near6 manipul\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:05
-	88	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3)))) and ((pass near4 code) or validat\$3 or authenticat\$3) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 16:54
-	4	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3)))) and (mathematic\$4 near6 manipul\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:05
-	264	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3)))) and mathematic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:05
-	58	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3) with ((feature or option or software) near9 (print\$3)))) and (mathematic\$4 same (manipulat\$3 or chang\$3 or calculat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:05
-	565	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3)))) and ((pass near4 code) or password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:20
-	139	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3)))) and ((pass near4 code) or password)) and mathematic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:22
-	43	(((add\$3 or enabl\$3 or activat\$3 or authenticat\$3 or download\$3) near9 ((feature or option or software) near9 (print\$3)))) and ((pass near4 code) or password)) and mathematic\$4) not netpage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 17:22